




RG-AT80M

Ranger Domestic Sliding Door Operator



RANGER



Ranger automatic sliding door operator are easy installed, durable, reliable performance, safe and low noise operation. You can transform your any door rapidly into an automatic sliding door without complication. Range automatic sliding door operator also able to increase convenience and provide barrier-free access for the disabled too.

Ranger automatic sliding door operator highly recommend for application at your living space, working environment etc to make your place more securely.




Intensive Use

Ideal for use on residential, apartment buildings & public entrances.



Smart Phone App

Able to control to operate your automatic sliding door, anytime, anywhere.



Low Noise Operation

Reliable performance, silent and stable operation.



RG-AT80M

Ranger Domestic Sliding Door Operator



RANGER



APP Bluetooth Setting

Able set the state of the door body and the speed of opening and closing door.



Magnetic Levitation

Mini-belt design, driven by magnetic force and the rebound force is small when encountering obstacles.



Power Transmission Device

Directly converts electrical energy into linear motion mechanical energy.

KG
100

Maximum Door Weight


Maximum support door weight up to 50~100kg

*All image and specification is subject to change without prior notice.



Technical Data	RG-AT80M	RG-AT80M-2.1M
Length of Rail	1.9M	2.1M
Door Configuration	Single	
Door Leaf Weight	50~100KG	
Opening Width	600-1100mm	
Installation Way	Out Of Cell Power	
Power Voltage	AC220V±10%	
Frequency	50-60Hz	
Opening Speed	150~500mm/s (Adjustable)	
Closing Speed	150~500mm/s (Adjustable)	
Hold Open Time	0~20s(Adjustable)	
Rated Power	80W	
Standby Power	3W	
Environment Temp.	-20°C ~ +50°C	

Standard Colours



White Aluminium
(Similar to RAL9003)

Ordering Info

Model	Door Configuration	Length of Rail
RG-AT80M	Single	1.9M
RG-AT80M-2.1M	Single	2.1M

RG-AT80M SINGLE, 1.9M/2.1M



Wireless Push Button



Glass Clamp



Safety Beam Sensor



Key Switch

